

BEOLAB 50

Beauty on the outside - beast on the inside



FOR THE SOUND ENTHUSIAST

From the magical moment the Acoustic Lens majestically ascends, discreetly opening up to face the audience, you know the stage is set for an extraordinary performance.

BeoLab 50 is our high-end active loudspeaker blending radical audio technology, elegant aesthetics and meticulous craftsmanship. Tailored and truly ear-catching performance for all the ways you enjoy sound in the home: Sweet spot music listening, unforgettable house parties and cinematic experiences par excellence.




BANG & OLUFSEN




MEASUREMENTS

in cm

bang-olufsen.com/beolab50



SPECIFICATIONS

Designer Noto GmbH	Weight 61 kg	Placement Floor
Wireless Input (Master and Slave speaker) Wireless Power Link (24 bit / 48 kHz) WiSA (24 bit / 96 kHz)	Digital Input (Master and Slave speaker) Digital Power Link (24 bit / 192 kHz)	Analogue Input (Master speaker) Power Link RCA
Digital Input (Master speaker) USB Audio (24 bit / 192 kHz) S/P-DIF (24 bit / 192 kHz) Optical (24 bit / 96 kHz)	Amplifiers For tweeter 1 x Bang & Olufsen ICEpower 300 watts For midranges 3 x Bang & Olufsen ICEpower 300 watts For woofers 3 x Bang & Olufsen ICEpower 300 watts	Speaker Drivers Tweeter 1 x 3/4-inch - double motion Acoustic Lens Technology Midrange 3 x 4-inch Woofer 3 x 10-inch
Digital Signal Processor DSP type 1 x Analog Devices ADSP-21489 - 400 MHz Sampling rate 192 kHz fixed	Effective frequency range 15 - 43,000 Hz	
Materials Fabric front: Aluminium shell: Side panel:	 Black  Natural  Oak lamella	

FEATURES

Acoustic Lens Technology with directional sound beam control

On top of BeoLab 50 you find the motorized acoustic lens, which appears when the loudspeaker is switched on. The side 'cheeks' adjusts to wide or narrow, when you apply the unique Beam Width control, which decides whether you are having a sweet spot listening experience (narrow Beam Width) or are going for a wider sound dispersion aiming at multiple listening positions in front of the speaker (wide Beam width).

Control

Use the Bang & Olufsen app for IOS and Android for controlling and setting up specific listening positions and adjusting the beam width. In addition you can operate your BeoLab 50 with either the BeoRemote One or BeoSound Essence Remote..